

PUBBLICAZIONI SU RIVISTE INTERNAZIONALI
Prof. PAOLA FIORETTO

- 1) TREVISAN R, NOSADINI R, AVOGARO A, LIPPE G, FIORETTO P, DEANA R, TIENGO A, CREPALDI G: Type I diabetes is characterized by insulin resistance not only with regard to glucose but also to lipid and aminoacid metabolism.
J Clin Endocr Metab, 62: 1155-1161, 1986.
- 2) NOSADINI R, ANGELINI C, TREVISAN R, DE KREUTZEMBERG S, FIORETTO P, AVOGARO A, DE DONA C, DORIA A, COBELLI C, TOFFOLO G: Glucose and ketone body turnover in carnitine palmytoil transferase deficiency.
Metabolism, 36: 111-121, 1987.
- 3) FIORETTO P, TREVISAN R, ANGELI P, VELUSSI M, CERNIGOI A, DE RIVA C, BRESSAN M, DORIA A, PAULETTO N, NOSADINI R: Glomerular filtration rate is increased in man by the infusion of both DL-3-hydroxybutyric acid and sodium DL-3-hydroxybutyrate.
J Clin Endocr Metab, 65: 1193-1207, 1987.
- 4) TREVISAN R, NOSADINI R, FIORETTO P, AVOGARO A, DUNER E, IORI E, VALERIO A, DORIA A, CREPALDI G: Ketone bodies increase glomerular filtration rate in normal man and in patients with type I diabetes mellitus.
Diabetologia, 30: 214-221, 1987.
- 5) TREVISAN R, NOSADINI R, FIORETTO P, VELUSSI M, AVOGARO A, DUNER E, IORI E, DORIA A, VALERIO A, CREPALDI G: Metabolic control of kidney hemodynamic in normal and insulin dependent diabetic subjects. Effects of acetoacetic, lactic and acetic acids.
Diabetes, 34: 107-117, 1987.
- 6) FIORETTO P, TREVISAN R, GIORATO C, DE RIVA C, DORIA A, VALERIO A, SEMPLICINI A, CIPOLLINA MR, NOSADINI R: Type I insulin dependent diabetic patients show an impaired and altered response of kidney hemodynamics to protein intake.
J Diabetes Complicat, 2: 120-122, 1988.
- 7) NOSADINI R, DE KREUTZEMBERG S, DUNER E, IORI E, AVOGARO A, TREVISAN R, FIORETTO P, DORIA A, COBELLI C, MARI A, JENSEN I, CREPALDI G: Porcine and human insulin absorption from subcutaneous tissues in normal and IDDM subjects. A deconvolution based approach.
J Clin Endocr Metab, 67: 551-559, 1988.
- 8) TREVISAN R, FIORETTO P, NOSADINI R, CREPALDI G: Microproteinuria and kidney hemodynamics in the early phase of type I insulin dependent diabetes.
Diabetes Metab, 14: 200-201, 1988.
- 9) NOSADINI R, VELUSSI M, FIORETTO P, DORIA A, AVOGARO A, TREVISAN R, VALERIO A, CERNIGOI A, PASCOLETTI R, COSTELLA GB: Frequency of hypoglycaemic and hyperglycaemic ketotic episodes during conventional and subcutaneous insulin infusion therapy in IDDM.
Diabetes Nutr Metab, 1: 289-296, 1988.
- 10) NOSADINI R, TREVISAN R, FIORETTO P, DORIA A, VELUSSI M, SEMPLICINI A, DE RIVA C, AVOGARO A, DONADON V: Kidney hemodynamics following ketone body and aminoacid infusion in normal and type I insulin dependent diabetic man.
Diabetes, 38: 75-83, 1989.
- 11) SEMPLICINI A, MOZZATO MG, SAMA'B, NOSADINI R, FIORETTO P, TREVISAN R, PESSINA AC, CREPALDI G, DAL PALU' C: Na/H and Li/Na exchange in red blood cell of normotensive and hypertensive patients with insulin dependent diabetes mellitus (IDDM).
Am J Hypertension, 2: 174-177, 1989.
- 12) NOSADINI R, AVOGARO A, DORIA A, FIORETTO P, TREVISAN R: Ketone body metabolism: a physiological and clinical overview.
Diabetes/Metabolism Reviews, 5: 299-319, 1989.
- 13) OPOCHER G, MANTERO F, ROCCO S, TREVISAN R, FIORETTO P, SEMPLICINI A, MOROCUTTI A, ZANETTE G, DONADON V, PERICO N, GIORATO C, CARRARO A, REMUZZI G, NOSADINI R: Atrial natriuretic factor in insulin dependent diabetic patients.
J of Hypertension, 7 (S6): S236-237, 1989.
- 14) SEMPLICINI A, ANGELI P, NOSADINI R, FIORETTO P, TREVISAN R: Tubular Na⁺ handling in hypertensive and normotensive insulin dependent diabetics.
Diabetes Res Clin Pr, 11: 67-72, 1989.
- 15) NOSADINI R, FIORETTO P, GIORATO C, MOROCUTTI A, DORIA A, ZANETTE G, CREPALDI G: Sodium metabolism in insulin dependent diabetic patients.
Diabetes Metab, 15: 301-305, 1989.

- 16) AVOGARO A, NOSADINI R, DORIA A, TREMOLADA C, BACCAGLINI U, AMBROSIO F, MERKEL C, NOSADINI A, FIORETTO P: Substrate availability other than glucose in the brain during euglycaemia and insulin induced hypoglycaemia in dog.
Metabolism, 39: 46-50, 1990.
- 17) FIORETTO P, TREVISAN R, VALERIO A, AVOGARO A, BORSATO M, DORIA A, SEMPLICINI A, SACERDOTI D, JONES S, VIBERTI GC, NOSADINI R: Impaired renal response to a meat meal in insulin dependent diabetes. Role of glucagon and prostaglandins.
Am J Physiol, 258: F675-83, 1990.
- 18) AVOGARO A, NOSADINI R, DORIA A, FIORETTO P, VELUSSI M, VIGORITO C, COBELLI C, CREPALDI G: Myocardial metabolism in insulin deficient diabetic humans without coronary artery disease.
Am J Physiol, 258: E606-618, 1990.
- 19) TREVISAN R, FIORETTO P, SEMPLICINI A, MANTERO F, REMUZZI G, NOSADINI R: Role of insulin and atrial natriuretic peptide in sodium retention in insulin treated diabetic patients during isotonic volume expansion.
Diabetes, 39: 289-298, 1990.
- 20) KONTESSIS P, JONES S, DODDS R, TREVISAN R, NOSADINI R, FIORETTO P, BORSATO M, SACERDOTI D, VIBERTI GC: Renal, metabolic and hormonal responses to ingestion of animal and vegetable proteins.
Kidney Int, 38: 136-144, 1990.
- 21) NOSADINI R, FIORETTO P, TREVISAN R, CREPALDI G: Insulin dependent
Diabetes Care, 14: 210-219, 1991. (Review article) diabetes and hypertension.
- 22) DORIA A, NOSADINI R, AVOGARO A, FIORETTO P, CREPALDI G: Myocardial metabolism in type I diabetic patients without coronary artery disease.
Diabetic Med, 8: S104-S107, 1991.
- 23) FIORETTO P, STEFFES MW, MAUER SM: Hypertension and diabetic renal disease.
Clin Invest Med, 14: 72-78, 1991.
- 24) FIORETTO P, SAMBATARO M, CIPOLLINA MG, DUNER E, BEN GP, CARRARO A, SACERDOTI D, BROCCO E, NOSADINI R: Impaired response to angiotensin II in type I diabetes mellitus. Role of prostaglandins and sodium-lithium countertransport activity.
Diabetologia, 34: 595-603, 1991.
- 25) NOSADINI R, SEMPLICINI A, FIORETTO P, LUSIANI L, TREVISAN R, DONADON V, ZANUTTINI D, VIBERTI GC: Sodium-Lithium countertransport and cardiorenal abnormalities in essential hypertension.
Hypertension, 18: 191-198, 1991.
- 26) DORIA A, FIORETTO P, SEMPLICINI A, VIBERTI GC, NOSADINI R: Insulin resistance is associated with high Sodium-Lithium countertransport activity in essential hypertension.
Am J Physiol, 261: E684-691, 1991.
- 27) FIORETTO P, MUOLLO B, BEN GP, FRIGATO F, OPOCHER G, TREVISAN R, CARRARO A, CREPALDI G, NOSADINI R: Resistance to the actions of atrial natriuretic peptide in insulin-dependent diabetic hypertensives and improvement with ACE inhibitor treatment.
J of Hypertension, 9: S262-S263, 1991.
- 28) TREVISAN R, GIORATO C, FIORETTO P, ORRASCH M, OPOCHER G, MANTERO F, TIENGO A, NOSADINI R, ANTONINI P. Effects of atrial natriuretic peptide infusion on kidney function in normotensive type 1 (insulin-dependent) diabetic patients before and after enalapril treatment.
J of Hypertension, 9: S390-S391, 1991.
- 29) FIORETTO P, MUOLLO B, FARONATO PP, OPOCHER G, TREVISAN R, MANTERO F, REMUZZI G, CREPALDI G, NOSADINI R: Relationships among natriuresis, atrial natriuretic peptide and insulin in insulin-dependent diabetes.
Kidney Int, 41: 813-821, 1992.
- 30) TREVISAN R, NOSADINI R, FIORETTO P, SEMPLICINI A, DONADON V, DORIA A, NICOLOSI G, ZANUTTINI D, CREPALDI G, VIBERTI GC: Clustering of risk factors in hypertensive insulin-dependent diabetics with high sodium-lithium countertransport.
Kidney Int, 41: 855-861, 1992.
- 31) FIORETTO P, SAMBATARO M, CIPOLLINA MR, GIORATO C, CARRARO A, OPOCHER G, SACERDOTI D, BROCCO E, MOROCUTTI A, MANTERO F, GATTA A, NOSADINI R: Role of atrial natriuretic peptide in the pathogenesis of sodium retention in insulin dependent diabetes with and without glomerular hyperfiltration.
Diabetes, 41: 936-945, 1992.
- 32) MAUER SM, LANE P, ZHU D, FIORETTO P, STEFFES MW: Renal structure and function in insulin-dependent diabetes mellitus in man.
J of Hypertension, 10: S17-S20, 1992.

- 33) MAUER SM, LANE P, HATTORI M, FIORETTO P, STEFFES MW: Renal structure and function in insulin-dependent diabetes mellitus and type I membranoproliferative glomerulonephritis in humans.
J Am Soc Nephrol, 2: S181-S184, 1992.
- 34) STEFFES MW, FIORETTO P, MAUER SM: Indices of renal structure and function in patients with type I diabetes mellitus.
Acta Diabetol, 29: 119-122, 1992.
- 35) FIORETTO P, STEFFES MW, BROWN D, MAUER SM: An overview of renal pathology in insulin-dependent diabetes in relationship to altered glomerular hemodynamics.
Am J Kidney Dis, 20: 549-558, 1992.
- 36) FIORETTO P, FRIGATO F, VELUSSI M, RIVA F, MUOLLO B, CARRARO A, BROCCO E, CIPOLLINA MR, ABATERUSSO C, TREVISAN R, CREPALDI G, NOSADINI R. Effects of angiotensin converting enzyme inhibitors and calcium antagonists on atrial natriuretic peptide release and action and on albumin excretion rate in hypertensive insulin dependent diabetic patients.
Am J Hypertension, 5: 837-846, 1992.
- 37) NOSADINI R, CIPOLLINA MR, SOLINI A, SAMBATARO M, DORIA A, FIORETTO P, BROCCO E, MUOLLO B, FRIGATO F. Close relationship between microalbuminuria and insulin resistance in essential hypertension and non-insulin dependent diabetes mellitus.
J Am Soc Nephrol, 3: 1890-1898, 1992.
- 38) TIENGO A, BRIANI G, SCALDAFERRI E, RIVA F, JORI E, SGNAOLIN, FENATO R, FIORETTO P, NOSADINI R, CREPALDI G, TREVISAN R: Renal hemodynamics and albumin excretion rate in patients with diabetes secondary to acquired pancreatic disease.
Diabetes Care, 15: 1592-1597, 1992.
- 39) LANE P, STEFFES MW, FIORETTO P, MAUER SM. Renal interstitial expansion in insulin-dependent diabetes mellitus.
Kidney Int, 43: 661-667, 1993.
- 40) WANG YL, STEVENS RB, FIORETTO P, LOKEH A, KUNJUMNER D, GRUSSNER A, SCHMIDT WJ, MAUER SM. Correlation of preoperative renal function and identification of risk factors for eventual native renal failure in CSA treated non-uremic diabetic recipients of pancreas transplantation alone.
Transplant Proc, 25: 1291-93, 1993.
- 41) FIORETTO P, KEANE W, KLEIN DJ. Alterations in glomerular proteoglycan metabolism in experimental non-insulin dependent diabetes mellitus.
J Am Soc Nephrol, 3: 1694-1704, 1993.
- 42) FIORETTO P, MAUER SM, BILOUS RW, GOETZ FC, SUTHERLAND DER, STEFFES MW. Effects of pancreas transplantation on renal structure in insulin-dependent diabetic patients with their own kidneys.
The Lancet, 342: 1193-96, 1993.
- 43) NOSADINI R, FIORETTO P, CARRARO A, BROCCO E, SAMBATARO M, CIPOLLINA MR, FRIGATO F. Effects of Cilazapril on Na⁺ retention and ANP resistance in IDDM hypertensives.
Am J Med, 94, 4A: 66S-69S, 1993.
- 44) FIORETTO P, MAUER SM, STEFFES MW. Effects of pancreas transplantation on glomerular structure in diabetes. Letter,
The Lancet, 343: 120-121, 1994.
- 45) NOSADINI R, MANZATO E, SOLINI A, FIORETTO P, BROCCO E, ZAMBON S, MOROCUTTI A, SAMBATARO M, VELUSSI M, CREPALDI G. Peripheral, rather than hepatic, insulin resistance and atherogenic lipoprotein phenotype predict cardiovascular complications in NIDDM.
Eur J Clin Invest, 24: 258-266, 1994.
- 46) FIORETTO P, STEFFES MW, MAUER SM. Glomerular structure in non-proteinuric insulin-dependent diabetic patients with various levels of albuminuria.
Diabetes, 43: 1358-1364, 1994.
- 47) FIORETTO P, STEFFES MW, MIHATSCH MJ, STRØM EJ, SUTHERLAND DER, MAUER M. Cyclosporine-associated lesions in native kidneys of diabetic pancreas transplant recipients.
Kidney Int, 48: 489-495, 1995.
- 48) FIORETTO P, MAUER M. Hyperglycaemia and diabetic glomerulopathy.
Diabetes, Nutr Metab, 8: 166-173, 1995.
- 49) FIORETTO P, STEFFES MW, SUTHERLAND DER, MAUER M. Sequential renal biopsies in insulin-dependent diabetic patients: structural factors associated with clinical progression.
Kidney Int, 48: 1929-1935, 1995.
- 50) SAMBATARO M, THOMASETH K, PACINI G, ROBAUDO C, CARRARO A, BRUSEGHIN M, BROCCO E, ABATERUSSO C, DEFERRARI G, FIORETTO P, MAIOLI M, TONOLO GC,

CREPALDI G, NOSADINI R. Plasma clearance rate of ⁵¹Cr-EDTA provides precise and convenient technique for measurement of glomerular filtration rate in diabetic humans.

J Am Soc Nephrol, 7: 1-10, 1996.

51) VELUSSI M, BROCCO E, FRIGATO F, ZOLLI M, MUOLLO B, MAIOLI M, CARRARO A, TONOLO GC, FRESU P, CERNIGOI AM, FIORETTO P, NOSADINI R. Effects of Cilazapril and Amlodipine on kidney function in hypertensive NIDDM patients.

Diabetes, 45: 216-222, 1996.

52) FIORETTO P, MAUER M, BROCCO E, VELUSSI M, FRIGATO F, MUOLLO B, Sambaturo M, ABATERUSSO A, BAGGIO B, CREPALDI G, NOSADINI R. Patterns of renal injury in type 2 diabetic patients with microalbuminuria.

Diabetologia, 39: 1569-1576, 1996.

53) LURBE A, FIORETTO P, MAUER M, LAPOINTE MS, BATLLE D. Growth phenotype of cultured skin fibroblasts from insulin-dependent diabetic patients with and without nephropathy and its association to overactivity of the Na⁺/H⁺ antiporter.

Kidney Int, 50: 1684-1693, 1996.

54) MONCIOTTI CG, SEMPLICINI A, MOROCUTTI A, MAIOLI M, CIPOLLINA MR, BARZON I, PALARO C, BROCCO E, TREVISAN M, FIORETTO P, CREPALDI G, NOSADINI R. Elevated sodium-lithium countertransport activity in erythrocytes is predictive of the development of microalbuminuria in IDDM.

Diabetologia, 40: 654-661, 1997.

55) FIORETTO P, MAUER M, CARRARO A, BRUSEGHIN M, BROCCO E, CREPALDI G, NOSADINI R. Renal structural changes in non insulin dependent diabetes.

Am J Hypertension, 10: 184S-188S, 1997.

56) BILUS RW, P FIORETTO, CZERNICHOW P, DRUMMOND K. Growth factors and diabetic nephropathy: kidney structure and therapeutic interventions.

Diabetologia, 40: B68-B73, 1997.

57) POLAK M, NEWFIELD RS, FIORETTO P, CZERNICHOW P, MARCHESE R. Pathophysiology of diabetic complications.

Diabetologia, 40: B65-B67, 1997.

58) DEL PRETE D, ANGLANI F, FORINO M, FIORETTO P, NOSADINI R, BAGGIO B, CREPALDI G. Down-regulation of glomerular matrix metalloproteinase-2 gene in human NIDDM.

Diabetologia, 40: 1449-1454, 1997.

59) MAUER M, FIORETTO P. Diabetic nephropathy as a model for the use of renal structural endpoints in clinical trials.

Kidney Int, 63: S155-158, 1997.

60) BROCCO E, FIORETTO P, MAUER M, SALLER A, CARRARO A, FRIGATO F, CHIESURA-CORONA M, BIANCHI L, BAGGIO B, MAIOLI M, ABATERUSSO C, VELUSSI M, Sambaturo M, VIRGILI F, OSSI E, NOSADINI R. Renal structure and function in non-insulin dependent diabetic patients with microalbuminuria.

Kidney Int, 63: S40-44, 1997.

61) FIORETTO P, STEHOUWER CDA, MAUER M, CHIESURA-CORONA M, CARRARO A, BROCCO E, VAN HISHBERG VWM, CREPALDI G, NOSADINI R.

Heterogeneous nature of microalbuminuria in NIDDM: studies of endothelial function and renal structure.

Diabetologia, 41: 233-236, 1998.

62) BRITO PL, FIORETTO P, DRUMMOND K, KIM Y, STEFFES MW, BASGEN JM, MAUER M. Proximal tubular basement membrane width in insulin dependent diabetes mellitus.

Kidney Int, 53: 754-761, 1998.

I.F 8.563

63) JIN DK, KIM Y, MAUER M, FIORETTO P, VATS A, FISH AJ. Relationships of cell proliferation and of expression of integrin subunits and type I collagen in skin fibroblasts with renal lesions in patients with insulin-dependent diabetes mellitus.

Am J Kidney Dis, 31: 293-300, 1998.

64) NOSADINI R, BROCCO E, SALLER A, CERNIGOI AM, ABATERUSSO C, BORTOLOSO E, DALLA VESTRA M, MAIOLI M, PIARULLI F, FIORETTO P. Renal function in non insulin-dependent diabetes mellitus patients treated with angiotensin-converting enzyme inhibitors and calcium channel blockers.

J of Hypertension, 16, S4: 27-32, 1998.

65) FIORETTO P, STEFFES MW, SUTHERLAND DER, GOETZ FC, MAUER M. Reversal of lesions of diabetic nephropathy after pancreas transplantation.

New Engl J Med, 339: 69-75, 1998.

66) FIORETTO P, Y KIM, MAUER M. Diabetic nephropathy as a model of reversibility of established renal lesions.

Curr Opin Nephrol Hy, 7: 489-494, 1998.

67) STEHOWER CD, YUDKIN JS, FIORETTO P, NOSADINI R. How heterogeneous is microalbuminuria in diabetes mellitus? The case for 'benign' and 'malignant microalbuminuria.

Nephrol Dial Transpl, 13: 2751-2754, 1998.

68) FIORETTO P, STEFFES MW, RICH SS, MILLER M, BARBOSA J, MAUER M. Is diabetic nephropathy inherited? Studies of glomerular structure in type 1 diabetic sibling pairs.

Diabetes, 48: 865-869, 1999.

69) TREVISAN R, FIORETTO P, BARBOSA J, MAUER M. Insulin-dependent diabetic sibling pairs are concordant for sodium-hydrogen antiport activity.

Kidney Int 55: 2383-2389, 1999.

70) SOLINI A, GIACCHETTI G, SFRISO A, FIORETTO P, SARDU C, SALLER A, TONOLO G, MAIOLI M, MANTERO F, NOSADINI R. Polymorphisms of angiotensin-converting enzyme and angiotensinogen genes in type 2 diabetic sibships in relation to nephropathy risk.

Am J of Kidney Dis, 34: 1002-9, 1999.

71) NOSADINI R, FIORETTO P. Renal involvement in type 2 diabetes mellitus: prognostic role of proteinuria and morphologic lesions.

J of Nephrol, 12: 329-46, 1999.

72) NOSADINI R, VELUSSI M, BROCCO E, BRUSEGHIN M, ABATERUSSO C, SALLER A, DALLA VESTRA M, CARRARO A, BORTOLOSO E, SAMBATARO M, BARZON I, FRIGATO F, MUOLLO F, CHIESURA-CORONA M, PACINI G, BAGGIO B, PIARULLI F, SFRISO A, FIORETTO P. Course of renal function in type 2 diabetic patients with abnormalities of albumin excretion rate.

Diabetes, 49: 476-484, 2000.

73) CARAMORI ML, FIORETTO P, MAUER M. The need for early predictors of diabetic nephropathy risk: is albumin excretion rate sufficient?

Diabetes, 49: 1399-1408, 2000.

74) DALLA VESTRA M, SALLER A, BORTOLOSO E, FIORETTO P. Structural involvement in type 1 and type 2 diabetic nephropathy.

Diabetes Metab, 26: S4: 8-14, 2000.

75) CREPALDI G, FIORETTO P. Gliclazide modified release: its place in the therapeutic armamentarium.

Metabolism, 49, S1: 1-6, 2000.

76) POULSEN PL, EBBEHØJ E, NOSADINI R, FIORETTO P, DEFERRARI G, CREPALDI G, MOGENSEN CE. Early ACE-i intervention in microalbuminuric patients with type 1 diabetes: Effects on albumin excretion, 24 h ambulatory blood pressure, and renal function.

Diabetes Metab, 27: 123-128, 2001.

77) SOLINI A, DI VIRGILIO F, CHIOZZI P, FIORETTO P, PASSARO A, FELLIN R. A deficit in glycogen synthesis characterizes insulin resistance in hypertensive patients with type 2 diabetes.

Hypertension, 37: 1492-1496, 2001

78) BORTOLOSO E, DEL PRETE D, GAMBARO G, DELLA VESTRA M, SALLER A, BAGGIO B, ANTONUCCI F, FIORETTO P, ANGLANI F. Vascular endothelial growth factor (VEGF) and VEGF receptors in diabetic nephropathy: expression studies in biopsies of type 2 diabetic patients.

Renal Failure, 23: 483-493, 2001

79) DALLA VESTRA M, SALLER A, MAUER M, FIORETTO P. The role of mesangial expansion in the pathogenesis of diabetic nephropathy.

J Nephrol, 14:S51-57, 2001.

80) FIORETTO P, CARAMORI ML, MAUER M. Risk predictors in patients with diabetic nephropathy.

Current Diabetes Reports, 1: 245-250, 2001

81) SOLINI A, DALLA VESTRA M, SALLER A, NOSADINI R, CREPALDI G, FIORETTO P. The angiotensin convertinase DD genotype is associated with glomerulopathy lesions in type 2 diabetes.

Diabetes, 51: 251-255, 2002.

82) MUSSAP M, DALLA VESTRA M, SALLER A, NOSADINI R, FIORETTO P, PLEBANI M. Cystatin C is a more sensitive marker than creatinine for estimation of GFR in type 2 diabetic patients.

Kidney Int, 61: 1453-1461, 2002.

83) DALLA VESTRA M, SACERDOTI D, BOMBONATO G, FIORETTO P, FINUCCI G, SALLER A, SFRISO A, BRUSEGHIN M, SAMBATARO M, VELUSSI M, BAGGIO B, NOSADINI R, CREPALDI G. Nitric oxide modulation of renal and cardiac hemodynamics in type 2 diabetes.

Eur J Endocrinol, 146: 1-8, 2002.

84) BAGGIO B, BUDAKOVIC A, DALLA VESTRA M, SALLER A, FIORETTO P. Effects of cigarette smoking on glomerular structure and function in type 2 diabetic patients.

J Am Society of Nephrology, 13: 2730-2736, 2002.

85) DALLA VESTRA M, MASIERO A, ROITER AM, SALLER A, CREPALDI G, FIORETTO P. Is podocyte injury relevant in diabetic nephropathy? Studies in type 2 diabetic patients.

Diabetes, 52: 1031-1035, 2003

86) CARAMORI ML, FIORETTO P, MAUER M. Low GFR in normoalbuminuric type 1 diabetic patients: an indicator of more advanced glomerular lesions.

Diabetes, 52: 1036-1040, 2003.

87) DE COSMO S, TREVISAN R, DALLA VESTRA M, ARGIOLAS A, VEDOVATO M, SOLINI A, SALLER A, TRISCHITTA V, FIORETTO P. The PC-1 aminoacid variant Q121 associates with lower GFR in type 2 diabetic patients with abnormal albumin excretion rate.

Diabetes Care, 26: 2898-2902, 2003.

88) BORTOLOSO E, DEL PRETE D, GAMBARO G, DALLA VESTRA M, GAMBARO G, SALLER A, ANTONUCCI F, BAGGIO B, ANGLANI F, FIORETTO P. Quantitative and qualitative changes in VEGF gene expression in glomeruli of patients with type 2 diabetes.

Eur J Endocrinol, 150: 799-807, 2004

89) SOLINI A, PASSARO A, FIORETTO P, NANNIPIERI M, FERRANNINI E. Lipoprotein lipase gene variants and progression of nephropathy in hypercholesterolemic patients with type 2 diabetes.

J Int Med, 256: 30-36, 2004

90) DALLA VESTRA M, POZZA G, MOSCA A, GRAZIOLI V, LAPOLLA A, FIORETTO P, CREPALDI G. Effect of lercanidipine compared with ramipril on albumin excretion rate in hypertensive type 2 diabetic patients with microalbuminuria: DIAL study.

Diabetes, Nutrition & Metabolism, 17: 259-266, 2004

91) MAUER M, FIORETTO P. Preventing microalbuminuria in type 2 diabetes.

New Engl J Med, 352: 833-834, 2005. Letter

92) DALLA VESTRA M, MUSSAP M, GALLINA P, BRUSEGHIN M, CERNIGOI AM, SALLER A, PLEBANI M, FIORETTO P. Acute phase markers of inflammation and glomerular structure in type 2 diabetic patients

J Am Soc Nephrol, 16: S78-S82, 2005.

93) FIORETTO P, SOLINI A. Antihypertensive treatment and multifactorial approach for renal protection in diabetes

J Am Soc Nephrol, 16: S18-S21, 2005.

94) CARAMORI ML, FIORETTO P, MAUER M. Enhancing the predictive value of urinary albumin for diabetic nephropathy

J Am Soc Nephrol, 17: 339-352, 2006.

95) DE COSMO S, TREVISAN R, MINENNA A, VEDOVATO M, VITI R, SANTINI S, FIORETTO P, TRISCHITTA V. Insulin resistance and cluster of abnormalities related to the metabolic syndrome are associated with reduced GFR in patients with type 2 diabetes.

Diabetes Care, 29: 432-434, 2006.

96) FIORETTO P, SUTHERLAND DER, NAJAFIAN B, MAUER M. Remodeling of renal interstitial and tubular lesions in pancreas transplant recipients.

Kidney International, 69: 907-912, 2006

97) FIORETTO P, BRUSEGHIN M, BERTO I, GALLINA P, MANZATO E, MUSSAP M. Renal protection in diabetes: role of glycemic control.

J Am Soc Nephrol, 17: S86-S89, 2006.

98) CARAMORI ML, KIM Y, FIORETTO P, HUANG C, RICH SS, MILLER ME, RUSSELL GB, MAUER M. Cellular basis of diabetic nephropathy: IV Antioxidant enzyme mRNA expression levels in skin fibroblasts of type 1 diabetic sibling pairs.

Nephrology Dialysis Transplantation, 21:3122-3126, 2006.

99) FIORETTO P, MAUER M. Histopathology of diabetic nephropathy.

Seminars in Nephrology, 27: 195-207, 2007.

100) PUGLIESE G, RICCI C, IACOBINI C, MENINI S, FIORETTO P, FERRANDI M, GIARDINO A, ARMELLONI S, MATTINZOLI D, RASTALDI M, PUGLIESE F.

Glomerulo barrier dysfunction in glomerulosclerosis-resistant Milan rat with experimental diabetes: the role of renal hemodynamics.

J Pathol, 213: 210-218, 2007

101) FIORETTO P. CARAMORI ML, MAUER M. The kidney in diabetes: dynamic pathways of injury and repair.

Diabetologia, 51: 1347-1355, 2008.

102) ABBATECOLA AM, BARBIERI M, RIZZO MR, GRELLA R, LAIETA MT, QUARANTA E, MOLINARI AM, CIOFFI M, FIORETTO P, PAOLISSO G. Arterial stiffness and cognition in the elderly with impaired glucose tolerance and microalbuminuria.

J Gerontol A Biol, 63: 991-996, 2008

103) FRUCHART JC, SACKS FM, HERMANS MP, ASSMANN G, BROWN WV, CESKA R, CHAPMAN MJ, DODSON PM, FIORETTO P, GINSBERG HN, KADOWAKI T, LABLANCHE JM, MARX N, PLUTZKY J, REINER Z, ROSENSON RS, STAELS B, STOCK JK, SY R, WANNER C, ZAMBON A, ZIMMET P; A condensed position paper by the Residual Risk Reduction Initiative (R3I).

The Residual Risk Reduction Initiative: a call to action to reduce residual vascular risk in dyslipidaemic patient.

Diab Vasc Dis Res, 5(4): 319-335, 2008.

104) FRUCHART JC, SACKS FM, HERMANS MP, ASSMANN G, BROWN WV, CESKA R, CHAPMAN MJ, DODSON PM, FIORETTO P, GINSBERG HN, KADOWAKI T, LABLANCHE JM, MARX N, PLUTZKY J, REINER Z, ROSENSON RS, STAELS B, STOCK JK, SY R, WANNER C, ZAMBON A, ZIMMET P

The Residual Risk Reduction Initiative: a call to action to reduce residual vascular risk in patients with dyslipidemia.

Am J Cardiol, 102: 1K-34K, 2008

105) ZAMBON S, ROMANATO G, SARTORE G, MARIN R, BUSETTO L, FAVRETTI S, SERGI G, FIORETTO P, MANZATO E. Bariatric surgery improves atherogenic LDL profile by triglyceride reduction.

Obes Surgery, 19(2):190-195, 2009

106) DE COSMO S, MINENNA A, ZHANG YY, THOMPSON R, MISCIO G, VEDOVATO M, RAUSEO A, SALLER A, MASTROIANNO S, PELLEGRINI F, TREVISAN R, FIORETTO P, DORIA A, TRISCHITTA V.

Association of the Q121 Variant of ENPP1 Gene With Decreased Kidney Function Among Patients With Type 2 Diabetes.

Am J Kidney Dis, 53: 273-278, 2009

107) DALLA VESTRA M, ARBOIT M, BRUSEGHIN, M, FIORETTO P. The kidney oin type 2 diabetes: focus on renal structure.

Endocrinol Nutr, 56, S4: 18-20, 2009

108) FIORETTO P, DODSON P,M, ZIEGLER D, ROSENSON RS. Residual microvascular risk in diabetes: unmet needs and future directions.

Nat Rev Endocrinol , 6: 19-25, 2010.

109) FIORETTO P, MAUER M. Diabetic nephropathy: challenges in pathologic classification.

Nat Rev Nephrol, 6: 508-510, 2010

110) FRUCHART JC, SACKS FM, HERMANS MP, International Steering Committee of R(3)i. Implications of the ACCORD lipid study: perspective from the Residual Risk Reduction Initiative

Curr Med Res Opin, 8: 1793-1797, 2010

111) FIORETTO P, NAJAFIAN B, SUTHERLAND DER, MAUER M. Tacrolimus and cyclosporine nephrotoxicity in native kidneys of pancreas transplant recipients.

Clin JASN, 6: 101-106, 2011.

112) FIORETTO P, MAUER M. Effects of pancreas transplantation on the prevention and reversal of diabetic nephropathy

Contrib Nephrol, 170: 237-246, 2011.

113) FIORETTO P, MAUER M. Olmesartan, microalbuminuria and type 2 diabetes.

N Engl J Med, 364: 2260-2261, 2011. Letter

114) ROSENSON RS, FIORETTO P, DODSON PM. Does microvascular disease predict macrovascular events in type 2 diabetes?

Atherosclerosis, 218: 13-18, 2011

115) REALDI G, GIANNINI S, FIORETTO P, FABRIS F, VETTORE G, TOSATO F. Diagnostic pathways of the complex patients: rapid intensive observation in an acute medical unit.

Intern Emerg Med, S1: 85-92, 2011

115) FIORETTO P, MAUER M. Reversal of diabetic nephropathy: lessons from pancreas transplantation.

116) MAUER M, FIORETTO P. Pancreas transplantation and reversal of diabetic nephropathy lesions.

Med Clin North Am 97:109-14, 2014.

- 117) EKINCI EI, JERUMS G, SKENE A, CRAMMER P, POWER D, CHEONG KY, PANAGIOTOPOULOS S, MCNEIL K, BAKER ST, FIORETTO P, MACISAAC RJ. Renal structure in normoalbuminuric and albuminuric patients with type 2 diabetes and impaired renal function. **Diabetes Care**, 36: 3620-3626, 2013.
- 118) KOHAN DE, FIORETTO P, LIST JF. Long-term study of patients with type 2 diabetes and moderate renal impairment shows that dapagliflozin reduces weight and blood pressure but does not improve glycemic control. **Kidney Int**, 85: 962-971, 2014.
- 119) SACKS FM, HERMANS MP, FIORETTO P, VALENSI P, DAVIS T, HORTON E, WANNER C, AL-RUBEAAAN K, ARONSON R, BARZON I, BISHOP L, BONORA E, BUNNAG P, CHUANG LM, DEEROCHANAWONG C, GOLDENBERG R, HARSHFIELD B, HERNÁNDEZ C, HERZLINGER-BOTEIN S, ITOH H, JIA W, JIANG YD, KADOWAKI T, LARANJO N, LEITER L, MIWA T, ODAWARA M, OHASHI K, OHNO A, PAN C, PAN J, PEDRO-BOTET J, REINER Z, ROTELLA CM, SIMO R, TANAKA M, TEDESCHI-REINER E, TWUM-BARIMA D, ZOPPINI G, CAREY VJ. Association Between Plasma Triglycerides and HDL-Cholesterol and Microvascular Kidney Disease and Retinopathy in Type 2 Diabetes: A Global Case-Control Study in 13 Countries. **Circulation**, 129: 999-1008, 2014.
- 120) FIORETTO P, BARZON I, MAUER M. Is diabetic nephropathy reversible? **Diabetes Res Clin Pract**, 104: 323-328, 2014.
- 121) FRUCHART JC, DAVIGNON J, HERMANS MP, AL-RUBEAAAN K, AMARENCO P, ASSMANN G, BARTER P, BETTERIDGE J, BRUCKERT E, CUEVAS A, FARNIER M, FERRANNINI E, FIORETTO P, GENEST J, GINSBERG HN, GOTTO AM JR, HU D, KADOWAKI T, KODAMA T, KREMPF M, MATSUZAWA Y, NÚÑEZ-CORTÉS JM, MONFIL CC, OGAWA H, PLUTZKY J, RADER DJ, SADIKOT S, SANTOS RD, SHLYAKHTO E, SRITARA P, SY R, TALL A, TAN CE, TOKGÖZOĞLU L, TOTH PP, VALENSI P, WANNER C, ZAMBON A, ZHU J, ZIMMET P; RESIDUAL RISK REDUCTION INITIATIVE (R3I). Residual macrovascular risk in 2013: what have we learned? **Cardiovasc. Diabetol**, 13-26, 2014
- 122) FRONTONI S, SOLINI A, FIORETTO P, NATALI A, ZUCCALÀ A, COSENTINO F, PENNO G. The ideal blood pressure target to prevent cardiovascular disease in type 2 diabetes: a neutral viewpoint. **Nutr Metab Cardiovasc Dis**, 24: 577-584, 2014
- 123) MAUER M, CARAMORI ML, FIORETTO P, NAJAFIAN B. Glomerular structural-functional relationship models of diabetic nephropathy are robust in type 1 diabetic patients. **Nephrol Dial Transplant**, 30: 918-923, 2015
- 124) FIORETTO P, GIACCARI A, SESTI G. Efficacy and safety of dapagliflozin, a sodium glucose cotransporter 2 (SGLT2) inhibitor, in diabetes mellitus. **Cardiovascular Diabetology**, 14: 142, 1-13, 2015.
- 125) KOHAN DE, FIORETTO P, JOHNSON K, PARIKH S, PTASZYNSKA A, YING L. The effect of dapagliflozin on renal function in patients with type 2 diabetes. **J Nephrology**, 29: 391-400, 2016.
- 126) GILBERT RE, WEIR MR, FIORETTO P, LAW G, DESAI M, KLINE I, SHAW W, MEININGER G. Impact of age and estimated GFR on the glycemic efficacy and safety of canagliflozin: a pooled analysis of clinical studies. **Can J Diabetes**, 40: 247-257, 2016
- 127) FIORETTO P, STEFANSSON BV, JOHNSON E, CAIN VA, SJÖSTRÖM CD. Dapagliflozin reduces albuminuria over 2 years in patients with type 2 diabetes mellitus and renal impairment. **Diabetologia**, 59: 2036-2039, 2016.
- 128) FIORETTO P, MANSFIELD TA, PTASZYNSKA A, YAVIN Y, JOHNSON E, PARIKH S. Long-term safety of dapagliflozin in older patients with type 2 diabetes mellitus: a pooled analysis of phase IIb/III studies. **Drugs Aging**, 33:511-522, 2016.
- 129) FIORETTO P, ZAMBON A, ROSSATO M, BUSETTO L, VETTOR R. SGLT2 inhibitors and the diabetic kidney. **Diabetes Care**, 39: S165-171, 2016.
- 130) DE COSMO S, VIAZZI F, PISCITELLI P, GIORDA C, CERIELLO A, GENOVESE S, RUSSO G, GUIDA P, FIORETTO P, PONTREMOLI R. Blood pressure status and the incidence of diabetic kidney disease in patients with hypertension and type 2 diabetes. **J Hypertens**, 34: 2090-2098, 2016.
- 131) RUSSO GT, DE COSMO S, VIAZZI F, PACILLI A, CERIELLO A, GENOVESE S, GUIDA P, GIORDA C, CUCINOTTA D, PONTREMOLI R, FIORETTO P. Plasma Triglycerides and HDL-C

Levels Predict the Development of Diabetic Kidney Disease in Subjects With Type 2 Diabetes: The AMD Annals Initiative.

Diabetes Care, 39: 2278-2287, 2016.

132) PERKOVIC V, AGARWAL R, FIORETTO P, HEMMELGARN BR, LEVIN A, THOMAS MC, WANNER C, KASISKE BL, WHEELER DC, GROOP PH. Management of patients with diabetes and CKD: conclusions from a "Kidney Disease: Improving Global Outcomes" (KDIGO) Controversies Conference.

Kidney Int, 90: 1175-1183, 2016.

133) VIAZZI F, PISCITELLI P, GIORDA C, CERIELLO A, GENOVESE S, RUSSO GT, FIORETTO P, GUIDA P, DE COSMO S, PONTREMOLI R. Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes.

J Diabetes Complications, 16: 30479-2, 2016.

134) PACILLI A, VIAZZI F, FIORETTO P, GIORDA C, CERIELLO A, GENOVESE S, RUSSO G, GUIDA P, PONTREMOLI R, DE COSMO S. Epidemiology of diabetic kidney disease in adult patients with type 1 diabetes in Italy: The AMD-Annals initiative.

Diabetes Metab Res Rev, Epub ahead of print Dec 9, 2016.

135) VETTOR R, INZUCCHI SE, FIORETTO P. The cardiovascular benefits of empagliflozin: SGLT2-dependent and -independent effects.

Diabetologia, Epub ahead of print, Jan 11, 2017.

136) FIORETTO P, AVOGARO A. Dapagliflozin: potential beneficial effects in the prevention and treatment of renal and cardiovascular complications in patients with type 2 diabetes.

Expert Rev Clin Pharmacol. 2017 May 2:1-10, 2017.

137) PERRONE-FILARDI P, AVOGARO A, BONORA E, COLIVICCHI F, FIORETTO P, MAGGIONI AP, SESTI G, FERRANNINI E. Mechanisms linking empagliflozin to cardiovascular and renal protection.

Int J Cardiol, 241:450-456, 2017.

138) VIAZZI F, PISCITELLI P, GIORDA C, CERIELLO A, GENOVESE S, RUSSO G, GUIDA P, FIORETTO P, DE COSMO S, PONTREMOLI R; AMD-Annals Study Group. Metabolic syndrome, serum uric acid and renal risk in patients with T2D.

PLoS One.12:e0176058. doi: 10.1371, 2017.

139) AVOGARO A, GIACCARI A, FIORETTO P, GENOVESE S, PURRELLO F, GIORGINO F, DEL PRATO S. A consensus statement for the clinical use of the renal sodium-glucose co-transporter-2 inhibitor dapagliflozin in patients with type 2 diabetes mellitus.

Expert Rev Clin Pharmacol, May 2:1-10. doi: 10.1080/17512433.2017.1322507, 2017.

140) CERIELLO A, DE COSMO S, ROSSI MC, LUCISANO G, GENOVESE S, PONTREMOLI R, FIORETTO P, GIORDA C, PACILLI A, VIAZZI F, RUSSO G, NICOLUCCI A; AMD-Annals Study Group. Variability in HbA1c, blood pressure, lipid parameters and serum uric acid and risk of development of chronic kidney disease in type 2 diabetes.

Diabetes Obes Metab, Apr 21. doi: 10.1111/dom.12976. [Epub ahead of print], 2017.

141) BELLIGOLI A, SANNA M, SERRA R, FABRIS R, PRA' CD, CONCI S, FIORETTO P, PREVEDELLO L, FOLETTO M, VETTOR R, BUSETTO L. Incidence and Predictors of Hypoglycemia 1 Year After Laparoscopic Sleeve Gastrectomy.

Obes Surg. 2017 May 25. doi: 10.1007/s11695-017-2742-2. [Epub ahead of print], 2017.

142) RUOSPO M, SAGLIMBENE VM, PALMER SC, DE COSMO S, PACILLI A, LAMACCHIA O, CIGNARELLI M, FIORETTO P, VECCHIO M, CRAIG JC, STRIPPOLI GF. Glucose targets for preventing diabetic kidney disease and its progression.

Cochrane Database Syst Rev, Jun 8;6:CD010137. doi: 10.1002/14651858. CD010137.pub2. [Epub ahead of print] 2017.

143) PISCITELLI P, VIAZZI F, FIORETTO P, GIORDA C, CERIELLO A, GENOVESE S, RUSSO G, GUIDA P, PONTREMOLI R, DE DE COSMO S. Predictors of chronic kidney disease in type 1 diabetes: a longitudinal study from the AMD Annals initiative.

Sci Rep, Jun 12;7(1):3313. doi: 10.1038/s41598-017-03551, 2017

144) VIAZZI F, PISCITELLI P, CERIELLO A, FIORETTO P, GIORDA C, GUIDA P, RUSSO G, DE COSMO S, PONTREMOLI R AMD-ANNALS STUDY GROUP. Resistant Hypertension, Time-Updated Blood Pressure Values and Renal Outcome in Type 2 Diabetes Mellitus.

J Am Heart Assoc. 2017 Sep 22;6(9). pii: e006745. doi: 10.1161/JAHA.117.006745.

145) GENTILE S, PISCITELLI P, VIAZZI F, RUSSO G, CERIELLO A, GIORDA C, GUIDA P, FIORETTO P, PONTREMOLI R, STROLLO F, DE COSMO S; AMD-ANNALS STUDY GROUP. Antihyperglycemic treatment in patients with type 2 diabetes in Italy: the impact of age and kidney function.

Oncotarget. Jun 28;8(37):62039-62048. doi: 10.18632/oncotarget.18816. eCollection 2017 Sep 22, 2017.


146) RUSSO GT, DE COSMO S, VIAZZI F, MIRIJELLO A, CERIELLO A, GUIDA P, GIORDA C, CUCINOTTA D, PONTREMOLI R, FIORETTO P. AMD-Annals Study Group. Diabetic kidney disease in the elderly: prevalence and clinical correlates.

BMC Geriatr. Feb 2; 18(1):38. doi: 10.1186/s12877-018-0732-4, 2018.

147) BETTINI S, BORDIGATO E, FABRIS R, SERRA R, DAL PRA' C, BELLIGOLI A, SANNA M, COMPAGNIN C, FOLETTI M, PREVEDELLO L, FIORETTO P. VETTOR R, BUSETTO L. Modifications of Resting Energy Expenditure After Sleeve Gastrectomy.

Obes Surg. Mar 12. doi: 10.1007/s11695-018-3190-3. [Epub ahead of print], 2018

Padova, 4 aprile 2018

A handwritten signature in black ink on a light-colored background. The signature reads "Paolo Fioretto" in a cursive script. The first name "Paolo" is written in a larger, more prominent hand, and the last name "Fioretto" follows in a similar but slightly smaller cursive style.

CAPITOLI IN LIBRI

Prof. PAOLA FIORETTO

- 1) AVOGARO A, NOSADINI R, TREVISAN R, TIENGO A, FIORETTO P, CREPALDI G: The effect of continuous and peritoneal insulin treatment on glucose and ketone body metabolism in insulin dependent diabetic subjects. In:
Diabetes, Obesity and Hyperlipidemias. G. Crepaldi et al, Elsevier Sci. Publ, 417-426, 1985.
- 2) VELUSSI M, NOSADINI R, AVOGARO A, BRUTTOMESSO D, TREVISAN R, CERNIGOI A, FIORETTO P, CREPALDI G: Frequency of hypoglycaemic and ketotic hyperglycaemic events during traditional, intensified and continuous insulin infusion. In:
Proc of 2nd Assisi International Symposium. EASD, AIDSPIT, Raven Press, Brunetti, Waldhausl and Albisser eds, 37: 111-121, 1987.
- 3) TREVISAN R, NOSADINI R, FIORETTO P, IORI E, AVOGARO A, DUNER E, TIENGO A, CREPALDI G: The effects of ketone body infusion on kidney function in normal and insulin-dependent diabetic subjects. In:
Microvascular and neurological complications of diabetes, Crepaldi G et al, Fidia Res. Series, 10: 169-175, 1987.
- 4) NOSADINI R, FIORETTO P, SACERDOTI D, GIORATO C, MOROCUTTI A, DORIA A, AVOGARO A, TREVISAN R, DE DONA' C, VELUSSI M, MONGILLO A, VIBERTI GC: Prostaglandins and kidney function in normal man. In:
Diabetes, Obesity and Hyperlipidemias-IV. G. Crepaldi et al, Elsevier Sci. Publ, 409-416, 1990.
- 5) NOSADINI R, FIORETTO P, SAMBATARO M, CIPOLLINA MR, ABBRUZZESE E, GIORATO C, TREVISAN R, DE DONA' C: Insulin-dependent diabetes is characterized by an impaired capacity to modulate kidney hemodynamics in response to physiological stimuli. Role of baseline and glucagon induced renal vasodilatory prostaglandin synthesis. In:
Diabetic Complications, Epidemiology and pathogenetic Mechanisms. Sero Symposia Pub., Raven Press, Vol 69: 145-162, 1991.
- 6) FIORETTO P, MOGENSEN CE, MAUER SM. Diabetic nephropathy. In:
Pediatric Nephrology, Williams & Wilkins, 3^{ed}, 576-585, 1993.
- 7) STEFFES MW, FIORETTO P. Towards understanding renal structure and function in type 2 diabetes mellitus. In:
Diabetes, obesity and hyperlipidemia: V. **The plurimetabolic syndrome**. G. Crepaldi, A. Tiengo, E. Manzato, 121-125, 1993.
- 8) FIORETTO P, MAUER M. Understanding of diabetic nephropathy from kidney and pancreas transplantation. In:
The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 2nd edition, Kluwer Acad Publ, 171-179, 1994.
- 9) FIORETTO P, MAUER M. Lesions glomérulaires chez les malades normo- et micro-albuminuriques ayant un diabète sucré insulino-dépendant. In:
Actualités Néphrologiques Jean Hamburger, JL Funck-Brentano, JF Bach, H Kreis, JP Grunfeld, Medicine-Sciences Flammarion, 251-267, 1996.
- 10) NOSADINI R, BROCCO E, FIORETTO P. Nefropatia diabetica. In:
Complicanze acute e croniche nel diabete, GM Molinatti, UTET, Vol 2: 169-223, 1996.
- 11) FIORETTO P, MAUER M. Glomerular changes in normo- and microalbuminuric patients with long-standing insulin dependent diabetes mellitus.
Advances in Nephrology, Mosby-Year Book, Inc. vol 26: 247-263, 1997.
- 12) FIORETTO P, MAUER M, NOSADINI R. Renal structure in NIDDM patients with microalbuminuria.
The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 3rd edition, Kluwer Acad Publ, 205-214, 1996.
- 13) FIORETTO P, MAUER M. Comprendere la nefropatia diabetica dal trapianto di rene e di pancreas. In:
Rene e ipertensione nel diabete mellito, C.E. Mogensen, Mediserve ed., 109-113, 1996.
- 14) BROCCO E, NOSADINI R, FIORETTO P. Il danno renale nel diabete non insulino-dipendente. In:
Basi fisiopatologiche ed attualità clinico-terapeutiche delle nefropatie. L. Oldrizzi, G. Maschio, Wichtig Ed. Milano, 69-75, 1997.
- 15) ABATERUSSO C, BROCCO E, SALLER A, BAGGIO B, NOSADINI R, FIORETTO P. In:

Le nefropatie vascolari. Schena, Amore, Banfi, Casanova, Confalonieri, Fornasieri, Wichtig Ed-Milano, 95-107, 1997.

16) MAUER M, FIORETTO P. The role of mesangial expansion in diabetic nephropathy. In: **ACE Inhibition and Renoprotection.** Proceedings of the Symposium held in Sidney, 24/5/97. MC Cooper, G Remuzzi Ed. Euromed Communications Ltd, USA, 31-37, 1997.

17) FIORETTO P, MAUER M, NOSADINI R. Renal structure in NIDDM patients with microalbuminuria.

The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 4th edition, Kluwer Acad Publ, 245-255, 1998.

18) MAUER M, FIORETTO P. Mesangial expansion in diabetic nephropathy: functional and genetic considerations. In:

Diabetic renal-retinal syndrome. Eds: EA Friedman, FA L'Esperance Jr. Kluwer Academic Press, 19-26, 1998.

19) FIORETTO P, SALLER A, DALLA VESTRA M, MAUER M. Morphology of nephropathy in type 2 diabetes contrasted to type 1 diabetes. In:

Nephropathy in type 2 diabetes. Eds: E Ritz and I Rychlik, Oxford University Press, Oxford Clinical Nephrology Series, 58-71, 1999.

20) SALLER A, DALLA VESTRA M, ABATERUSSO A, BORTOLOSO E, BAGGIO B, NOSADINI R, CREPALDI G, P.FIORETTO. Nephropathy in type 1 and type 2 diabetes: structural studies. In:

Insulin resistance, Metabolic Diseases and Diabetic complications. G. Crepaldi, A. Tiengo, S. Del Prato, Excerpta Medica Int Cong Series 1177: 117-127, 1999.

21) CREPALDI G, DALLA VESTRA M, FIORETTO P. Diabete. In:

L'Universo del Corpo. Enciclopedia Treccani, III: 158-166, 1999.

22) FIORETTO P, DALLA VESTRA M, SALLER A, MAUER M. Renal structure in type 2 diabetic patients with microalbuminuria. In:

The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 5th edition, Kluwer Acad Publ, 243-254, 2000.

23) FIORETTO P, MAUER M. Reversibility of diabetic nephropathy lesions: a new concept. In:

The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 5th edition, Kluwer Acad Publ, 465-470, 2000.

24) MAUER M, FIORETTO P, WOREDEKAL Y, FRIEDMAN E. Diabetic Nephropathy. In:

Diseases of the Kidney and Urinary Tract, Schrier RW ed, Lippincott Williams & Wilkins, 2083-2127, 2001.

25) DALLA VESTRA M, SALLER A, MAUER M, FIORETTO P. Ruolo dell'espansione mesangiale nella patogenesi della nefropatia diabetica. In:

Attualità Nefrologiche & Dialitiche, D'Amico G, Colasanti G, Banfi L. Eds. Wichtig Milano, 89-97, 2001.

26) MAUER M, CARAMORI ML, FIORETTO P. Which comes first: renal injury or proteinuria? In:

Diabetic renal-retinal syndrome. Eds: EA Friedman, FA L'Esperance Jr. Kluwer Academic Pub., 121-128, 2002.

27) DALLA VESTRA M, FIORETTO P. Diabetic nephropathy: renal structural studies in type 1 and type 2 diabetic patients. In:

Insulin resistance, Metabolic Diseases and Diabetic complications. G. Crepaldi, A. Tiengo, Excerpta Medica Int Cong Series, vol 1253: 163-169, 2003.

28) NOSADINI R, FIORETTO P. L'insufficienza renale cronica. In:

Trattato di Medicina Interna. G. Crepaldi, A. Baritussio, Piccin Ed, vol III: 3443-3467, 2003.

29) FIORETTO P, DALLA VESTRA M, MAUER M. Renal structure in type 2 diabetes. In:

The kidney and hypertension in diabetes mellitus, C.E. Mogensen, 6th edition, Taylor & Francis, 271-286, 2004.

30) DALLA VESTRA M, FIORETTO P. Aspects recents des lesions renales du diabete. In:

Actualites Nephrologiques Jean Hamburger, Hospital Necker, Medicine-Sciences, Flammarion 143-157, 2004

31) FIORETTO P, MAUER M. Effects of pancreas transplantation on diabetic nephropathy. In:

Trasplantation of the Pancreas, RWG Gruessner and DER Sutherland eds, Springer, 455-461, 2004.

32) FIORETTO P, BRUSEGHIN M. Nefropatia diabetica: storia naturale ed evidenze indirette a favore dell'importanza di fattori genetici. In: Grandangolo in Diabetologia: Geni e nefropatia, ed P. FIORETTO. Accademia Nazionale di Medicina, 5-12, 2006

33) FIORETTO P, MAUER M. Effects of pancreas transplantation on the prevention and reversal of diabetic nephropathy. In: Diabetes and the kidney, Eds KN Lai and SCW Tang, Contribution to Nephrology, Basel, Karger, vol 170: 237-246, 2011

PUBBLICAZIONI SU RIVISTE ITALIANE

Prof PAOLA FIORETTO

- 1) NOSADINI R, AVOGARO A, TREVISAN R, FIORETTO P: Fisiopatologia del metabolismo dei corpi chetonici.
Minerva Endocrinologica, 11: 71-76, 1986.
- 2) TIENGO A, BRUTTOMESSO D, LISATO G, FIORETTO P, DEL PRATO S, NOSADINI R: L'infusione continua sottocutanea di insulina mediante microinfusori. **Corriere Medico News**, 10-12, 1986.
- 3) VELUSSI M, DORIA A, DUNER E, IORI E, MARESCOTTI C, FIORETTO P, CERNIGOI AM, BERNARDI G, MINIUSSI M, VALERIO A, CREPALDI G, NOSADINI R: Trattamento del diabete non insulino-dipendente in "secondary failure" con proinsulina e con insulina intermedia.
12^o Congresso SID, CIC Eds, 827-831, 1988.
- 4) TREVISAN R, NOSADINI R, FIORETTO P, GIORATO C, SEMPLICINI A, SAMA'B, VELUSSI M, DONADON V, MONESI G, TIENGO A, CREPALDI G. Una ridotta natriuresi dopo espansione isotonica della volemia caratterizza i diabetici tipo I sia normotesi che ipertesi.
12^o Congresso SID, CIC Eds, 349-351, 1988.
- 5) GIORATO C, TREVISAN R, FIORETTO P, SAMA' B, DA CAMPO G, BRUSCAGNIN A, NOSADINI R. L' ACE inibitore ha un effetto benefico sulla funzionalita' renale nei diabetici tipo I ipertesi e normotesi.
12^o Congresso SID, CIC Eds, 549-550, 1988.
- 6) NOSADINI R, GIORATO C, FIORETTO P, TREVISAN R, MOLLO F, MONESI G, MARCHESINI G, ZANETTE G, DONADON V. Effetti comparativi del captopril e clortalidone sulla funzionalita' renale in pazienti diabetici insulino-dipendenti normotesi ed ipertesi. Atti del convegno "Diabete ed Ipertensione" P. Vannini e A. Ciavarella eds., CM Bologna 28-29 Ottobre 1988.
- 7) FIORETTO P, MAUER SM, SUTHERLAND DER, STEFFES MW. Effetti del trapianto solitario di pancreas sulla progressione della nefropatia diabetica.
Il Diabete, Suppl 1, 810-813, 1992.
- 8) FIORETTO P, SOLINI A, CREPALDI G. Nuove prospettive nella terapia del diabete di tipo 2.
Metabolismo Oggi, 13, n. 1: 26-34, 1996.
- 9) DEL PRETE D, GAMBARO G, FORINO M, NOSADINI R, PIOVAN R, GIACOMINI A, FIORETTO P, BAGGIO B, BORSATTI A, ANGLANI F. Studio di espressione di proteine della matrice e di citokine mediante RT/PCR su biopsie renali in pazienti con nefropatia diabetica: problemi metodologici.
Giornale Italiano di Diabetologia, 16: 61-67, 1996.
- 10) ABATERUSSO C, FIORETTO P, CREPALDI G. La sindrome retino-renale.
Metabolismo Oggi, 14, n. 2: 55-63, 1997.
- 11) NOSADINI R, BROCCO E, SALLER A, CARRARO A, SAMBATARO M, MAIOLI M, BAGGIO B, ABATERUSSO C, FRIGATO F, VELUSSI M, FIORETTO P. Eterogeneita' delle lesioni renali nei pazienti diabetici NIDDM con microalbuminuria.
Il Diabete, 9, Suppl 2: 22-23, 1997.
- 12) FIORETTO P. Nefroprotezione nel diabete: obiettivo raggiungibile?
Il Diabete, 15: 2-3, 2003.
- 13) FIORETTO P. Dalla normoalbuminuria alla glomerulopatia diabetica: una via senza ritorno?
Il Diabete, 15: 5-13, 2004.

